


## BENEFIT COVERAGE GUIDELINE – 10.01.523

### Preventive Care

Effective Date:	Nov. 1, 2023	RELATED MEDICAL POLICIES:
Last Revised:	May 1, 2024	5.01.588 Pharmacologic Prevention and Treatment of HIV/AIDS
Replaces:	N/A	6.01.521 Bone Mineral Density Studies

Select a hyperlink below to be directed to that section.

[POLICY CRITERIA](#) | [CODING](#) | [RELATED INFORMATION](#)  
[EVIDENCE REVIEW](#) | [REFERENCES](#) | [HISTORY](#)

 Clicking this icon returns you to the hyperlinks menu above.

---

## Introduction

The health plan covers preventive services that are required by the Affordable Care Act (ACA) without cost share by the member (i.e., covered at 100% of Allowed Amounts without deductible, coinsurance or copayment). The services need to be provided by an in-network provider to be covered with no member cost share. There are some plans that may not cover these preventive services. Plans that are “grandfathered,” or have an exemption allowed by the law, are not required to cover the ACA preventive services. (Please contact the health plan to find out if you have one of these plans and to find details on your specific preventive coverage.)

The ACA covered preventive care services are identified and updated by the following organizations:

- United States Preventive Services Task Force (USPSTF) grade A or B recommendations
- Advisory Committee on Immunization Practices (ACIP) recommendations adopted by the Director of the Center for Disease Control and Prevention (CDC)
- Health Resources and Services Administration (HRSA) supported comprehensive guidelines which are published by any of the following sources:
  - The Bright Futures Recommendations for Pediatric Preventive Health Care schedule of services
  - Uniform Panel of the Secretary’s Advisory Committee on Heritable Disorders in Newborns and Children

- Specific women's health care services and guidelines adopted by HRSA

The health plan only covers in-network preventive services with no member cost if they are provided within the specific guidelines issued by the above organizations, As noted in this benefit coverage guideline. Preventive services are recommended by the organizations based on what is best for the general population. For each individual person, the doctor might recommend other tests. This means that for the individual, the tests a doctor orders may not all be covered under the preventive care benefit. Blood tests that are run as panels and include multiple tests are not considered preventive, although one or two of the individual tests may be covered.

Preventive care services, as provided by the guidelines, include wellness exams and immunizations for children and adults. Specific screening tests are also covered for people who have no symptoms or known diseases and are in a specified age group or at-risk population, when provided in accordance with the applicable guidelines. Care associated with a screening colonoscopy or sterilization services for women are also covered without cost share. This may include a pre-op visit office visit, medically necessary anesthesia services, facility fees, and pathology services.

The list of preventive services may be updated at regular intervals by the sponsoring agencies, and new services will be added or changed usually within 12 months of the guidance issued by the designated organizations. Reasonable medical management techniques may be used by health plans, and this might include prior authorization, concurrent review, or claims review.

## Screening Versus Diagnostic, Monitoring, or Surveillance Testing:

**Screening exams** are done in people with no symptoms or known disease.

**Diagnostic tests** are done to evaluate abnormal lab results, physical findings, or symptoms.

**Surveillance or monitoring tests** are done in individuals who have a known condition or history that increases their risk of disease and is no longer considered a screening exam. Usually, surveillance tests are done more frequently than screening tests for the general population.

If a screening test is positive, or shows an abnormality, that test is still considered preventive, however the same test in the future may not be considered preventive. Here are some examples:

1. A screening colonoscopy shows the presence of a certain type of high-risk polyp, which is removed. In the future colonoscopies may be done more frequently as surveillance, that is looking for more of these polyps. These subsequent colonoscopies are not considered



preventive and are paid for from the medical benefit which may be subject to member cost shares as applicable.

2. A screening stool test is done and is positive. The next test needed is a colonoscopy, which will still be considered preventive and will be covered under the preventive benefit without cost share to the member.
3. A screening mammogram shows an abnormal finding, but a follow-up mammogram was found to be normal; therefore, a future screening mammogram will be considered preventive and covered under the preventive benefit without cost share to the member.

**Note:** The Introduction section is for your general knowledge and is not to be taken as policy coverage criteria. The rest of the policy uses specific words and concepts familiar to medical professionals. It is intended for providers. A provider can be a person, such as a doctor, nurse, psychologist, or dentist. A provider also can be a place where medical care is given, like a hospital, clinic, or lab. This policy informs them about when a service may be covered.

## Guidelines

### Coverage Information

#### Preventive services are defined as follows:

- Evidence-based items or services with a rating of "A" or "B" in the current recommendations of the US Preventive Task Force (USPSTF).
- Preventive care and screenings for women as provided for in comprehensive guidelines supported by the Health Resources and Services Administration (HRSA).
- Immunizations as recommended by the Advisory Committee on Immunization Practices (ACIP) of the Centers for Disease Control (CDC) and Prevention.
- Evidence-informed infant, child and adolescent preventive care and screenings provided for in the comprehensive guidelines supported by the Health Resources and Services Administration (HRSA, Bright Futures).
- Services that meet the guidelines for preventive care under Washington state law.

#### Preventive service performed within an inpatient setting:

- If a preventive service is performed within an inpatient setting, the preventive service will be covered in full. However, the preventive service is considered incidental. The facility fees are



## Coverage Information

not covered under preventive benefits since the service is incidental to and is not the primary reason for the admission.

**Members need to refer to their plan's benefit booklet for a comprehensive discussion of coverage and payment information. Some services may require prior authorization; refer to our online code check tool for more information.**

**Clinical guidelines change over time, may not be consistent across all regions of the country regardless of USPSTF recommendations, and do not take into account all aspects of insurance coverage or claims administration. While they can provide useful guidance for the minimum amount of coverage required by the ACA, a Plan has the flexibility to provide more generous coverage as deemed appropriate.**

## Coding

Service	Procedure code(s)	Comments
<b>Adult aortic aneurysm screening ultrasound</b>	76706	The USPSTF recommends one-time screening for abdominal aortic aneurysm by ultrasonography in men aged 65 to 75 years who have ever smoked.
<b>Alcohol misuse screening and counseling care</b> <b>Unhealthy Drug Use screening</b>	99408, 99409, G0442, G0443, G2011	The USPSTF recommends:  Screening individuals aged 18 years and older for alcohol misuse and provide those engaged in risky or hazardous drinking with brief behavioral counseling interventions to reduce alcohol misuse.  Screening individuals aged 18 years and older for unhealthy drug use to support accurate diagnosis, effective treatment, and appropriate care or referral.
<b>Blood pressure screening</b>	Blood pressure screening is not reimbursed separately from the office visit.	The USPSTF recommends:  Screening individuals aged 18 years and older for high blood pressure.  Obtaining measurements outside of the clinical setting for diagnostic confirmation before starting treatment.
<b>Cholesterol screening</b>	80061, 82465, 83695, 83700, 83718, 83719, 83721, 84478 when billed with diagnosis: Z00.00, Z00.01	The USPSTF recommends:  Screening men aged 35 years and older for lipid disorders.



Service	Procedure code(s)	Comments
		<p>Screening men aged 20 to 35 years for lipid disorders if they are at increased risk for coronary heart disease.</p> <p>Screening women aged 45 years and older for lipid disorders if they are at increased risk for coronary heart disease.</p> <p>Screening women aged 20 to 45 years for lipid disorders if they are at increased risk for coronary heart disease.</p> <p>Bright Futures recommends cholesterol screening three times between the age of 5 to 18.</p>
<p><b>Colorectal cancer screening</b></p>	<p><b>Fecal occult blood, Fecal immunochemical test (FIT), and FIT-DNA (e.g., Cologuard)</b></p> <p>81528, 82270, 82274, G0328</p> <p><b>Sigmoidoscopy</b></p> <p>(Visualizes the rectum, sigmoid colon, and descending colon)</p> <p>45330, 45331, 45333, 45334, 45346, 45338, G0104</p> <p><b>Colonoscopy</b></p> <p>(Visualizes the entire colon)</p> <p>00812, 45378, 45380, 45381, 45384, 45385, 45388, 45390, 45391, 99152, 99153, G0105, G0121, G0500 when billed with the following criteria:</p> <p>Screening for individuals at average risk beginning at age 45 with diagnosis: Z12.10, Z12.11, Z12.12, Z80.0, Z83.71, Z83.79</p> <p>Screening for individuals under age 45, at increased risk for colon cancer due to a strong family history of colon cancer with diagnosis: Z80.0, Z83.71, Z83.79, Z84.81</p> <p>Screening colonoscopy for individuals aged 45 and older with personal history of inflammatory bowel disease (Crohn disease or</p>	<p>The USPSTF recommends:</p> <p>Screening for colorectal cancer using fecal occult blood testing, sigmoidoscopy, or colonoscopy in individuals aged 45 to 75 years. The risks and benefits of these screening methods vary.</p> <ul style="list-style-type: none"> <li>○ The plan covers colon imaging tests such as CT colonography and barium enema.</li> <li>○ When stool-based tests, sigmoidoscopy, or CT colonography are positive, follow-up colorectal cancer screening with colonoscopy is needed for further evaluation. Follow-up colonoscopy in these instances is covered as preventive when billed with a modifier 33 along with the colonoscopy procedure code.</li> </ul> <p><b>Note:</b> A preventive screening colonoscopy is for those who have no symptoms that suggest there might be a problem in the rectum or colon.</p> <p><b>Note:</b> A colonoscopy that is considered diagnostic, therapeutic, or surveillance is not considered preventive; it is covered under the medical benefit and is subject to applicable cost shares (i.e., deductibles, coinsurance, or copayments).</p> <ul style="list-style-type: none"> <li>• It is for a specific illness, injury, or a set of symptoms</li> </ul>



Service	Procedure code(s)	Comments
	<p>ulcerative colitis) with diagnosis: Z12.10, Z12.11, Z12.12</p> <p><b>Colonoscopy Pathology</b></p> <p>88305 when billed with diagnosis: D12.0, D12.1, D12.2, D12.3, D12.4, D12.5, D12.6, D12.7 D37.4, D49.0, K63.5, Z12.10-Z12.12, Z84.81</p> <p><b>Colonoscopy Preoperative Assessment</b></p> <p>S0285</p> <p><b>Barium enema</b></p> <p>G0106, G0120, G0122</p> <p><b>Colonography</b></p> <p>74263*</p> <p>*Computed tomographic colonography (CTC), also referred to as virtual colonoscopy (VC), requires prior authorization through <a href="#">Carelon Medical Benefits Management</a></p>	
<b>Contraceptives</b>	<p><b>Condoms</b></p> <p>A4267, A4268, A4269</p>	
<b>Depression and anxiety screening (adults, children, and adolescents)</b>	<p>96127, G0444 when billed with diagnosis: Z13.30, Z13.31, Z13.32, Z13.39, Z13.89</p> <p>96161 when billed with diagnosis: Z00.11, Z00.121, Z00.129, and Z13.32.</p> <p>90832, 90834, 90837, 90847, 90853 when billed with diagnosis Z13.32</p>	<p>The USPSTF recommends:</p> <p>Screening for major depressive disorder to ensure accurate diagnosis, psychotherapy (cognitive-behavioral or interpersonal), and follow-up.</p> <p>Screening individuals aged 12 to 21 years for suicide risk.</p> <p>Screening individuals aged 11 and older for depression to ensure accurate diagnosis, effective treatment, and follow-up.</p> <p>Screening for perinatal/post-partum depression and psychotherapy interventions for pregnant women at higher risk of perinatal depression. Screening and psychotherapy can occur during a well-baby checkup, anytime during pregnancy, and up to 1 year after delivery or adoption.</p> <p>Screening for anxiety in children and adolescents.</p>



Service	Procedure code(s)	Comments
<b>Diabetes, Prediabetes screening, and education for type 2 and gestational</b>	0403T, 0488T, 82947, 82948, 82950, 82951, 82952, 83036, 83037 when billed with any maternity diagnosis or diagnosis: Z00.00, Z00.01, Z13.1	<p>The USPSTF recommends:</p> <p>Screening for abnormal blood glucose as part of cardiovascular risk assessment in individuals aged 40 to 70 years who are overweight or obese.</p> <p>Screening asymptomatic adults aged 35-70 years who are overweight or have obesity.</p> <p>Clinicians offer or refer individuals with abnormal blood glucose to intensive behavioral counseling interventions to promote a healthful diet and physical activity.</p>
<b>Diet counseling Healthy diet and physical activity counseling to prevent cardiovascular disease: adults with cardiovascular risk factors</b>	97802, 97803, 97804, 99078, 99401, 99402, 99403, 99404, 99411, 99412, G0108, G0109, G0270, G0271, S9140, S9145, S9452, S9465, S9470, G0446	<p>The USPSTF recommends:</p> <p><b>Diet counseling</b></p> <p>Screening individuals aged 40 to 70 years who are overweight or obese for abnormal blood glucose as part of cardiovascular risk assessment.</p> <p>Clinicians offer or refer individuals with abnormal blood glucose to intensive behavioral counseling interventions promoting a healthful diet and physical activity.</p> <p><b>Healthy diet and physical activity counseling to prevent cardiovascular disease: adults with cardiovascular risk factors.</b></p> <p>Offering or referring individuals over age 18 who are overweight or obese and have additional cardiovascular disease (CVD) risk factors to intensive behavioral counseling interventions promoting a healthful diet and physical activity for CVD prevention.</p>
<b>Statin use for the primary prevention of cardiovascular disease in adults</b>	Covered with written prescription by physician.	The USPSTF recommends statin use for individuals aged 40-75 years who have one or more cardiovascular risk factors.
<b>Fall prevention – older adults</b>	97010, 97012, 97014, 97110, 97112, 97113, 97161, 97162, 97163, 97165, 97166, 97167, 97168 when billed with diagnosis: Z91.81, Z91.89	The USPSTF recommends exercise or physical therapy to prevent falls in individuals aged 65 and older who are at increased risk of falling.
<b>Hepatitis B screening</b>	80055, 87350, 86704, 86705, 86706, 86707, 87340, 87341, G0499	<p>The USPSTF recommends:</p> <p>Screening for hepatitis B virus infection in individuals at high risk of infection.</p> <p>Screening for hepatitis B virus infection in pregnant women at their first prenatal visit.</p>
<b>Hepatitis C screening</b>	86803, 86804, G0472	The USPSTF recommends:



Service	Procedure code(s)	Comments
		<p>Screening for hepatitis C virus (HCV) infection in individuals at high risk for infection.</p> <p>Offering a one-time screening for HCV infection to individuals born between 1945 and 1965.</p>
<b>HIV screening</b>	<p>86689, 86701, 86702, 86703, 87389, 87534, 87535, 87536, 87537, 87538, 87539, 87806, G0432, G0433, G0435, G0475, S3645 when billed with any pregnancy diagnosis or a screening diagnosis: Z00.00, Z00.01, Z22.6, Z22.8, Z22.9, Z11.3, Z11.4, Z11.59, Z11.9, Z20.6, Z29.81</p>	<p>The USPSTF recommends:</p> <p>Screening for HIV infection in individuals aged 15 or older or any individual who is at increased risk.</p> <p>Screening all pregnant women for HIV, including those who present in labor or at delivery whose HIV status is unknown.</p>
<b>HIV Pre-Exposure Prophylaxis (PrEP) Drug Coverage</b>	<p>Truvada (emtricitabine +tenofovir disoproxil fumarate), oral</p> <p>Descovy (emtricitabine-tenofovir- alafenamide), oral</p> <p>Apretude (cabotegravir extended-release injectable suspension) (billed with HCPCS J0739)</p> <p>Please refer to medical policy <a href="#">5.01.588 Pharmacologic Prevention and Treatment of HIV/AIDS</a> for coverage criteria as these drugs require prior authorization and medical necessity review.</p>	<p>The USPSTF recommends pre-exposure prophylaxis (PrEP) with effective antiretroviral therapy to individuals who are at high risk of HIV exposure</p>
<p><b>HIV Pre-Exposure Prophylaxis (PrEP):</b></p> <ul style="list-style-type: none"> <li>• <b>Counseling visit</b></li> <li>• <b>Pregnancy test</b></li> <li>• <b>STI screening</b></li> <li>• <b>HIV testing</b></li> <li>• <b>Hepatitis B &amp; C screening</b></li> <li>• <b>Creatine testing</b></li> </ul>	<p>Reimbursement is included in E&amp;M visit when billed with HIV exposure diagnosis: Z29.81</p> <p>Pregnancy test billed with CPT 81025 when billed with HIV exposure diagnosis Z29.81</p> <p>Creatine testing CPT codes 82565, 82570, 82575 when billed with HIV exposure diagnosis Z29.81</p> <p>STI screening codes: 86631, 86632, 87110, 87270, 87320, 87490, 87491, 87492, 87801, 87810, 86592, 86593, 86780, 87590, 87591, 87592, and 87850</p> <p>Hepatitis C screening codes: 86803, 86804, G0472 when billed with diagnosis code Z29.81</p> <p>Hepatitis B screening codes: 80055, 87350, 86704, 86705, 86706, 86707, 87340, 87341,</p>	<p>The USPSTF recommends pre-exposure prophylaxis (PrEP) with effective antiretroviral therapy to individuals who are at high risk of HIV exposure.</p>





Service	Procedure code(s)	Comments
	<p>G0499 when billed with diagnosis code Z29.81.</p> <p>HIV screening codes: 86689, 86701, 86702, 86703, 87389, 87534, 87535, 87536, 87537, 87538, 87539, 87806, G0432, G0433, G0435, G0475, S3645 when billed with diagnosis code Z29.81.</p>	
<b>Immunizations</b>	All immunizations are fully covered under the preventive services benefit.	Please see list of immunizations posted by the CDC <a href="http://www.cdc.gov/vaccines/schedules/index.html">http://www.cdc.gov/vaccines/schedules/index.html</a>
<b>Lung cancer screening (CT scan) for those at higher risk</b>	71271, G0296	<p>The USPSTF recommends:</p> <p>An annual screening for lung cancer with low-dose computed tomography in individuals aged 50 to 80 years who have a 20 pack per year smoking history and currently smoke or have quit within the past 15 years.</p> <p>Screening should be discontinued once an individual has not smoked for 15 years or develops a health problem that substantially limits life expectancy or the ability to have curative lung surgery.</p>
<b>Obesity screening and counseling</b>	97802, 97803, 97804, 99401, 99402, 99403, 99404, G0447, G0473, S9452, S9470 when billed with diagnosis: E66.01, E66.09, E66.1, E66.2, E66.3, E66.8, E66.9, Z68.3-Z68.39, Z68.4-Z68.45, Z68.53, Z68.54.	<p>The USPSTF recommends:</p> <p>Screening individuals aged 18 and older for obesity in individuals with a body mass index of 30 kg/m<sup>2</sup> or higher to intensive, multicomponent behavioral interventions.</p> <p>Screening individuals aged 6 years and older for obesity and offer or refer comprehensive, intensive behavioral interventions.</p>
<b>Prostate cancer screening</b>	84152, 84153, 84154, G0102, G0103	The USPSTF recommends that informing men aged 55 to 69 years about the potential benefits and harms of prostate-specific antigen (PSA)-based screening for prostate cancer.
<b>Screening and counseling for interpersonal and domestic violence</b>	Reimbursement is included in E&M visit. Not separately reimbursable.	The USPSTF recommends screening individuals including adolescents for interpersonal and domestic violence.
<b>Sexually transmitted disease counseling</b>	G0445, 99401, 99402, 99403, 99404, 99411, 99412	The USPSTF recommends intensive behavioral counseling for all sexually active individuals who are at increased risk for sexually transmitted infections.
<b>Syphilis screening</b>	86592, 86593, 86780	The USPSTF recommends screening for individuals at increased risk or pregnant women for syphilis infection.
<b>Tobacco use counseling and interventions</b>	99406, 99407	The USPSTF recommends:



Service	Procedure code(s)	Comments
		<p>Asking all individuals over age 18 about tobacco use, advising them to stop using tobacco, and providing behavioral interventions and US Food and Drug Administration (FDA)-approved pharmacotherapy for cessation to adults who use tobacco.</p> <p>Providing interventions, including education or brief counseling, to prevent initiation of tobacco use in individuals aged 18 and under.</p> <p>Asking all pregnant women about tobacco use, advising them to stop using tobacco, and providing behavioral interventions for cessation to pregnant women who use tobacco.</p>
<b>Tuberculosis (TB) testing</b>	86480, 86481, 86580	The USPSTF recommends screening for latent tuberculosis infection (LTBI) in populations at increased risk or if an individual receives a positive risk assessment.

<b>Women's Healthcare</b>		
If not listed below, additional women's healthcare categories may be included in the table above		
Service	Procedure Code(s)	Comments
<b>Anemia screening hematocrit or hemoglobin</b>	85013, 85014, 85018, 85025, 85027 when billed with any pregnancy diagnosis or for individuals aged 18 and under.	The USPSTF recommends screening for iron deficiency anemia for asymptomatic pregnant women. Also covered for individuals aged 18 or under.
<b>Bacteriuria screening: pregnant women and urinary tract</b>	81000, 81003, 81007, 87081, 87084, 87086, 87088 when billed with any pregnancy diagnosis	The USPSTF recommends screening for asymptomatic bacteriuria with urine culture in pregnant women at 12 to 16 weeks' gestation or at the first prenatal visit.
<b>Blood pressure screening</b>	Blood pressure screening is not reimbursed separately from the office visit.	<p>The USPSTF recommends:</p> <p>Screening individuals aged 18 years and older for high blood pressure.</p> <p>Obtaining measurements outside of the clinical setting for diagnostic confirmation before starting treatment.</p>
<b>Breastfeeding counseling interventions to support breast feeding.</b>  <b>Breast pump and supplies</b>	<p>99401, 99402, 99403, 99404, S9442, S9443 when billed with diagnosis Z39.1</p> <p>A4281, A4282, A4283, A4284, A4285, A4286, E0603, E0604, K1005-Hospital grade pumps are not available for purchase and are covered as rentals for 12 months</p>	The USPSTF recommends interventions during pregnancy and after birth to promote and support breastfeeding.
<b>Contraceptive visits</b>	Reimbursement is included in E&M visit when billed with diagnosis: Z30.011-Z30.2, Z30.40-	



## Women's Healthcare

If not listed below, additional women's healthcare categories may be included in the table above

Service	Procedure Code(s)	Comments
	Z30.42, Z30.430-Z30.9, Z30.44-Z30.46, Z31.61, Z31.7, Z97.5	
<b>Contraceptive implantable devices (insertion and removal)</b>	11976, 11981, 11982, 11983, 57170, 58300, A4261, A4264, A4266, G0516, G0517, G0518, J7296, J7297, J7298, J7300, J7301, J7306, J7307 when billed with diagnosis: Z30.011-Z30.2, Z30.40-Z30.42, Z30.430-Z30.9, Z30.44-Z30.46, Z31.61, Z31.7, Z97.5	
<b>Contraceptive injectables</b>	96372, J1050	
<b>Birth control – pharmacy</b>	Generic birth control pills are covered under the pharmacy plan.	
<b>Birth control contraception mobile apps</b>	A9293, when billed with diagnosis Z30.8 or Z30.09	Supported apps are Natural Cycles or Clue birth Control.
<b>Birth control – IUD</b>	58300, 58301, S4981, S4989	
<b>Birth control – sterilization</b>	58340, 58565, 58600, 58605, 58611, 58615, 58661, 58670, 58671, 74740, A4264 when billed with diagnosis: Z30.2	
<b>Birth control – anesthesia for sterilization</b>	00851, 00940, 00942, 00950, 00952	
<b>Folic acid supplementation</b>	Covered with written prescription by physician.	The USPSTF recommends that all persons planning or capable of pregnancy take a daily supplement containing 0.4 to 0.8 mg (400 to 800 µg) of folic acid.
<b>Gestational diabetes screening: pregnant women and postpartum</b>	0403T, 0488T, 82947, 82948, 82950, 82951, 82952, 83036, 83037 when billed with any maternity diagnosis or diagnosis: Z00.00, Z00.01, Z13.1	<p>The USPSTF recommends:</p> <p>Screening for gestational diabetes mellitus in asymptomatic pregnant persons at or after 24 weeks of gestation.</p> <p>Screening for pregnant persons with a history of gestational diabetes that are not currently pregnant as early as 4 to 6 weeks postpartum.</p> <p>Screening for pregnant persons with a negative initial postpartum screening test result at least every 3 years for up to 10 years after pregnancy.</p>
<b>Gonorrhea screening</b>	87590, 87591, 87592, 87850 when billed with any pregnancy diagnosis or diagnosis: Z00.00, Z00.01, Z11.3, Z11.9, Z20.2	The USPSTF recommends screening for Gonorrhea in sexually active women aged 24 years or younger and in older women who are at increased risk for infection including pregnant person.



## Women's Healthcare

If not listed below, additional women's healthcare categories may be included in the table above

Service	Procedure Code(s)	Comments
<b>Pre-eclampsia prevention: low-dose aspirin</b>	Covered with a written prescription by physician	The USPSTF recommends the use of low-dose aspirin (81 mg/d) as preventive medication after 12 weeks of gestation in pregnant persons who are at high risk for preeclampsia.
<b>Rh incompatibility screening</b>	86901, 86905 when billed with any pregnancy diagnosis	The USPSTF recommends:  Rh (D) blood typing and antibody testing for all pregnant persons during their first visit for pregnancy-related care.  Repeated Rh (D) antibody testing for all unsensitized Rh (D)-negative persons at 24 to 28 weeks' gestation, unless the biological father is known to be Rh (D)-negative.
<b>Rubella screening by history of vaccination or by serology</b>	86762 when billed with any pregnancy diagnosis	
<b>Syphilis screening</b>	86592, 86780, 86593	The USPSTF recommend screening all pregnant persons or individuals at increased risk for syphilis infection.
<b>Breast cancer chemoprevention counseling</b>	96040, 99401, 99402, 99403, S0265 when billed with diagnosis: Z80.3, Z80.3, Z80.41, Z85.3, Z85.43, Z15.01, Z15.02	The USPSTF recommends:  Shared informed decision-making with women who are at increased risk for breast cancer about medications to reduce their risk.  Prescribing risk-reducing medications, such as tamoxifen, Raloxifene, or aromatase inhibitors to women who are at increased risk for breast cancer and at low risk for adverse medication effects.
<b>BRCA screening risk assessment and genetic counseling testing</b>	81162, 81163, 81165, 81166, 81167, 81212, 81215, 81216, 81217 when billed with diagnosis: Z80.3, Z80.41, Z85.3, Z85.43, Z15.01, Z15.02. This test requires Prior Authorization from <b>Carelon Medical Benefits Management</b>	The USPSTF recommends:  Screening women who have a family history of breast, ovarian, tubal, or peritoneal cancer or an increased risk for potentially harmful mutations in breast cancer susceptibility genes (BRCA1 or BRCA2).  Women with positive screening results should receive genetic counseling and, if indicated after counseling, BRCA testing.
<b>Breast cancer screening – mammography</b>	77061, 77062, 77063, 77065, 77066, 77067, and G0279 when billed with diagnosis: Z00.00, Z00.01, Z12.31-Z12.39, Z80.3, Z85.3	The USPSTF recommends screening mammography for women aged 40 years and older, with or without clinical breast examination, every 1 to 2 years.
<b>Cervical cancer screening (PAP smear)</b>	88141, 88142, 88143, 88147, 88148, 88150, 88152, 88153, 88155, 88164, 88165, 88166, 88167, 88174, 88175, G0101, G0123, G0124, G0143, G0144,	The USPSTF recommends screening for cervical cancer in women aged 21 to 29 years with cytology (Pap smear) every 3 years.



## Women's Healthcare

If not listed below, additional women's healthcare categories may be included in the table above

Service	Procedure Code(s)	Comments
	G0145, G0147, G0148, P3000, P3001, Q0091	For women aged 30 to 65 years, the USPSTF recommends screening every 3 years with cervical cytology alone, every 5 years with high-risk human papillomavirus (hrHPV) testing alone, or every 5 years with hrHPV testing in combination with cytology (cotesting).
<b>HPV testing (human papillomavirus DNA test)</b>	0500T, 87623, 87624, 87625, G0476 when billed with diagnosis: Z00.00, Z00.01	For women aged 30 to 65 years, the USPSTF recommends screening every 5 years with high-risk human papillomavirus (hrHPV) testing alone, or every 5 years with both hrHPV testing and PAP cytology (cotesting).
<b>Chlamydia Screening</b>	86631, 86632, 87110, 87270, 87320, 87490, 87491, 87492, 87801, 87810 when billed with any pregnancy diagnosis or diagnosis: Z00.00, Z00.01, Z11.3, Z11.9, Z20.2	The USPSTF recommends screening for chlamydia in sexually active women aged 24 years or younger and in older women who are at increased risk for infection including pregnant person.
<b>Osteoporosis screening – bone density</b>	76977, 77080, 77081, G0130	The USPSTF recommends screening for osteoporosis in women aged 65 years or older and in younger women who are at high risk of fractures.
<b>Perinatal and Postpartum Depression</b>	Please see the above "Depression" section for detailed information	
<b>Sexually transmitted disease counseling</b>	G0445	The USPSTF recommends counseling for individuals at high risk for sexually transmitted diseases.

## Newborn and Children's Healthcare

If not listed in below, additional newborn/children's healthcare categories may be included in the tables above

Service	Procedure Code(s)	Comments
<b>Bilirubin screening</b>	Reimbursement is included in office or delivery charge. Not separately reimbursable.	Bright Futures recommends bilirubin screen for all newborns age 0 to 28 days.
<b>Dental caries prevention fluoride application (Primary care)</b>	99188, D1206, D1208	The USPSTF recommends:  Application of fluoride varnish to the primary teeth of all infants and children starting at the age of primary tooth eruption for age 0-6 years.  Prescription of oral fluoride supplementation starting at age 6 months for children whose water supply is fluoride deficient.
<b>Fluoride chemoprevention supplements</b>	Covered with a written prescription by physician.	
<b>Developmental screening</b>	96110, 96127, G0451	Bright Futures recommends:



## Newborn and Children's Healthcare

If not listed in below, additional newborn/children's healthcare categories may be included in the tables above

Service	Procedure Code(s)	Comments
<b>(Including autism)</b>		<p>A formal, standardized developmental screening during the 9-month visit.</p> <p>A formal, standardized developmental screening during the 18-month visit, including a formal autism screen.</p> <p>A formal, standardized developmental screening during the 24-month visit.</p> <p>A formal, standardized developmental screening during the 30-month visit.</p>
<b>Dyslipidemia screening (Lipids)</b>	80061, 82465, 83718, 83719, 83721, 84478	Bright Futures recommends screening for dyslipidemia once between the age 9 to 11 and again between the age 17 to 21.
<b>Gonorrhea prophylactic medications (Newborn)</b>	Not separately reimbursable, medication included in delivery charge.	The USPSTF recommends prophylactic ocular topical medication for all newborns for the prevention of gonococcal ophthalmia neonatorum.
<b>Hearing loss screening</b>	92551, 92552 when billed with the following diagnosis: Z00.121, Z00.129	The USPSTF recommends screening for hearing loss in all children up to age 21.
<b>Hemoglobinopathies (Sickle cell screening)</b>	83020, 83021, 83030, 83033, 83051, 83850	The USPSTF recommends screening for sickle cell disease in newborns.
<b>Hypothyroidism</b>	84436, 84437, 84439, 84443	The USPSTF recommends screening for congenital hypothyroidism in newborns.
<b>Iron supplements</b>	Covered with a written prescription by physician.	
<b>Lead screening</b>	83655	Bright Futures recommends screening for any children under age 18.
<b>Phenylketonuria (PKU)</b>	84030, S3620	Recommends screening in newborns age 0 to 28 days.
<b>Skin cancer behavioral counseling</b>	99401, 99402, 99403, 99404	The USPSTF recommends counseling individuals aged 10 to 24 years about minimizing their exposure to ultraviolet radiation to reduce risk for skin cancer.
<b>Vision acuity screening (for all children)</b>	99172, 99173, 99174, 99177	The USPSTF recommends screening for any children under age 18, as well as a one-time screening for amblyopia for age 3 to 5.

## Comprehensive preventive evaluation and management (E&M) services (preventive visits for baby, child, and adult, including women)

If not listed in below, additional newborn/children's healthcare categories may be included in the tables above

Service	Procedure Code(s)	Comments
<b>Wellness preventive examinations</b>	59425, 59426, 59430, 99381, 99382, 99383, 99384, 99385,	American Academy of Pediatrics (AAP) Bright Futures periodicity schedule recommends comprehensive



## Comprehensive preventive evaluation and management (E&M) services (preventive visits for baby, child, and adult, including women)

If not listed in below, additional newborn/children’s healthcare categories may be included in the tables above

Service	Procedure Code(s)	Comments
	99386, 99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397, 99411, 99460, 99461, 99462, 99463, G0101, G0123, G0124, G0141, G0143, G0144, G0145, G0147, G0148, G0402, G0513, G0514, S0610, S0612, S0613, S0622	<p>preventive medicine evaluation and management of an individual. This includes:</p> <ul style="list-style-type: none"> <li>An age-and gender-appropriate history</li> <li>Physical examination</li> <li>Counseling/anticipatory guidance</li> <li>Risk Factor reduction interventions</li> <li>The ordering of appropriate immunization(s) and laboratory/screening procedures</li> <li>Pre-pregnancy, prenatal and postpartum visits</li> </ul> <p><b>Note:</b> Screenings and procedures considered inclusive to the wellness exam or office visit are not reimbursed separately from the office visit.</p>

**Note:** CPT codes, descriptions and materials are copyrighted by the American Medical Association (AMA). HCPCS codes, descriptions and materials are copyrighted by Centers for Medicare Services (CMS).

### Related Information

N/A

### Evidence Review

N/A

### References



1. American Academy of Pediatrics / Bright Futures / Recommendations for Pediatric Preventive Healthcare. (For ages 0 – 21). Available at: [https://downloads.aap.org/AAP/PDF/periodicity\\_schedule.pdf](https://downloads.aap.org/AAP/PDF/periodicity_schedule.pdf) Accessed July 21, 2023.
2. Advisory Committee on Heritable Disorders in Newborns and Children. Recommended Uniform Screening Panel. Available at: <https://www.hrsa.gov/advisory-committees/heritable-disorders/rusp/index.html> Accessed July 21, 2023.
3. Health and Human Services. Preventive Services Covered under the Affordable Care Act. Available at: <https://www.hhs.gov/healthcare/about-the-aca/preventive-care/index.html> Accessed July 21, 2023.
4. Health and Human Services. Center for Consumer Information and Insurance Oversight. Affordable Care Act Implementation. FAQs-Set 12. Available at: [https://www.cms.gov/CCIIO/Resources/Fact-Sheets-and-FAQs/aca\\_implementation\\_faqs12.html](https://www.cms.gov/CCIIO/Resources/Fact-Sheets-and-FAQs/aca_implementation_faqs12.html) Accessed July 21, 2023.
5. Health and Human Services. The Center for Consumer Information and Insurance Oversight. Fact Sheets and Frequently Asked Questions. Available at: <https://www.cms.gov/cciio/Resources/Fact-Sheets-and-FAQs/index.html> Accessed July 21, 2023.
6. United States Preventive Services Task Force Recommendation (USPSTF) for Prostate Cancer screening. Available at: <https://www.uspreventiveservicestaskforce.org/Page/Document/UpdateSummaryFinal/prostate-cancer-screening> Accessed July 21, 2023.
7. United States Preventive Services Task Force Recommendations (USPSTF). Available at: <https://www.uspreventiveservicestaskforce.org/uspstf/recommendation-topics/uspstf-and-b-recommendations> Accessed July 21, 2023.
8. United States Preventive Services Task Force. Recommendations for Primary Care Practice. Published Recommendations. Accessed December 6, 2017. Available at: <https://www.uspreventiveservicestaskforce.org/uspstf/recommendation-topics> Accessed July 21, 2023.
9. Centers for Disease Control (CDC) and Prevention / Immunization Schedules. Available at: <http://www.cdc.gov/vaccines/schedules/index.html> Accessed July 21,2023.
10. Health Resources & Services Administration (HRSA) for Women’s Preventive Services: Required Health Plan Coverage Guidelines. Available at: <http://www.hrsa.gov/womensguidelines/> Accessed July 21, 2023.
11. Institute of Medicine. Clinical Preventive Services for Women-Closing the Gaps. Available at: <https://www.nap.edu/read/13181/chapter/1#iii> Accessed July 21, 2023.
12. Advisory Committee on Immunization Practices (ACIP) Recommendations. Available at: <http://www.cdc.gov/vaccines/hcp/acip-recs/vacc-specific/index.html> Accessed July 21, 2023.
13. Washington Administrative Code (WAC). Available at: <http://apps.leg.wa.gov/wac/> Accessed July 21, 2023.

## History

Date	Comments
02/01/18	New benefit coverage guideline, approved January 16, 2018. Add to the Administrative section.
02/09/18	Coding correction, removed terminated CPT codes 77052, 77055, 77056, and 77057. Added CPT codes 77065, 77066, and 77067.





Date	Comments
02/20/18	Coding update, removed CPT code 80051, added J7296 under the contraceptive implantable devices section. Clarified "any pregnancy diagnosis" in the Rh incompatibility screening section.
03/09/18	Coding update, removed HCPCS code J7302.
03/16/18	Coding update, added CPT codes 99396 and 99397.
03/28/18	Minor clarification made to the Introduction section. Added clarification regarding inpatient preventive services to the Guidelines section.
06/01/18	Interim Review, approved June 5, 2018. Added Bright Futures age guidelines to cholesterol section. Added 96161 with related diagnoses (Z00.11, Z00.121, Z00.129) to depression screening. Added 0403T and 0488T and the word "education" to diabetes screening section. Added CDC link to immunizations section. Added CPT code 58661 to the birth control - sterilization section. Added bilirubin screening section. Clarified the age guideline for hearing loss screening. Added criteria for vision screening for amblyopia.
06/21/18	Coding correction made in the depression screening section.
10/01/18	Coding update, added diagnosis codes Z13.30, Z13.31, Z13.32 and Z13.39 to the depression screening section.
10/10/18	Minor update, added notation about confirmation test under the contraceptive implantable devices section.
01/01/19	Interim Review, approved December 19, 2018. Removed vitamin D criteria as preventive service, pursuant to USPTF recommendation against vitamin D supplementation to prevent falls in community-dwelling adults 65 years or older. This is now a "D" recommendation. Removed terminated codes 81211, 81213, 81214 (codes terminated 1/1/19) and added new codes 81163, 81164, 81166, 81167, and G2011 (new codes effective 1/1/19). Added 81162 to policy. Added AIM Specialty Health reference.
01/24/19	Coding update, added CPT codes 45390 and 45391 to Colonoscopy section. Minor wording changes were also made for clarification.
06/01/19	Minor update, added clarification regarding claims administration. Updated verbiage under the cervical cancer section.
10/01/19	Annual Review, approved September 19, 2019. No updates to the coverage guideline. Added CPT code 81165.
11/01/19	Coding update, added diagnosis code Z13.32.
01/01/20	Interim Review, approved December 17, 2019. Added CPT codes 90832, 90834, 90837, 90847, and 90853 to depression screening section based on new USPSTF recommendation. Added CPT codes 77061 and 77062 and HCPCS code G0279 to breast cancer screening section.



Date	Comments
04/01/20	Interim Review, approved March 19, 2020. Clarified ages in screening colonoscopy section. Added FIT-DNA info to Colonoscopy section and added VC verbiage to code 74263.
04/10/20	Coding update. Removed 87485 and 84786. Added 87800 and 87801.
06/01/20	Interim Review, approved May 21, 2020. Added additional criteria based on new USPSTF recommendation to HIV screening, breast cancer chemoprevention and BRCA screening sections. Added HIV (PrEP) recommendation.
07/07/20	Coding update. Add A4264 when billed with diagnosis code Z30.2 to birth control – sterilization section.
10/01/20	Annual Review, approved September 17, 2020. No updates to the coverage guideline. Code correction from 87800 to 87810.
12/01/20	Interim Review, approved November 19, 2020. Updated HIV Pre-Exposure Prophylaxis (PrEP) Drug Coverage adding emtricitabine-tenofovir disoproxil as preventive when used for HIV PrEP and updated Descovy and Truvada to be considered preventive for HIV PrEP when the member has tried emtricitabine-tenofovir disoproxil in the last 2 years.
01/01/21	Coding update, added code terminated details for HCPC G0297 effective 1/1/2021 and removed the AIM review requirement details.
05/01/21	Coding update, added new CPT code 71271.
06/01/21	Coding update, Added USPSTF verbiage for Unhealthy drug use. Adding updated age range for lung cancer screening from 55 to 50 and pack usage from 30 to 20 per year.
08/01/21	Coding update, correction of ICD10 diagnosis code from Z26.0 to Z20.6.
09/17/21	Annual review, approved September 2, 2021. Added new benefit information for PrEP office visit, counseling, and pregnancy test coverage. Changed PrEP benefit information from acquisition to exposure. Coding update, changed column header names from Service to Benefit, Procedure Code(s) to Service, and Comments to Benefit Information. Wording updated throughout for purposes of improved clarity; no change to policy intent.
01/01/22	Coding update, updated age criteria for Colorectal cancer screening from 50 to 45.
03/01/22	Interim Review, approved February 8, 2022. Minor edits made for clarity only. Intent of guideline statements unchanged.
06/01/22	Annual review, approved November 7, 2022. Updated depression screening guidelines to include suicide risk for ages 18-21 years and changed behavioral depression screening age from starting at age 18 years to newborn. Updated Chlamydia and Gonorrhea guidelines to include pregnant persons. Added prediabetes to the diabetes screening guidelines. Added Follow-up colorectal screenings details. Removed HCPC code G0297 code & termination 1/1/2021 details. Removed section for Aspirin to prevent cardiovascular disease per mandate update.



Date	Comments
07/01/22	Interim Review, approved June 27, 2022. Updated coverage criteria for PrEP to include Apretude with HCPC code J0739 and added related medical policy 5.01.588.
01/01/23	Annual review, approved December 12, 2022. Added HCPC code K1005 for breast feeding supplies. Added contraceptive criteria for condoms with HCPC codes A4267, A4268, A4269 and for contraceptive mobile apps billed with HCPC code T5999 and diagnosis code Z30.09. Changed age criteria for HIV screening from ages 15 to 65, to 15 or older. Added pre-pregnancy, prenatal, postpartum with CPT codes 59425, 59426, 59430. Removed section for domestic violence screening in the women's healthcare section, added a new section for Screening and counseling for interpersonal and domestic Violence. Added criteria for postpartum diabetes screening. Added a section for Statin use for the prevention of cardiovascular disease. Added 6.01.521 Bone Mineral Density Studies to Related policies. References updated and changed the wording from "patient" to "individual" throughout the policy for standardization.
02/01/23	Coding update. Added inclusive details in a note to the wellness exam coding table. Removed BMI screening as inclusive to office procedure details from coding table as this is now covered in the wellness exam section. Removed diagnosis ICD10 codes Z00.00, Z00.01, Z11.2, Z11.3, Z11.9, & Z20.2 from the syphilis section of the coding table. Added diagnosis codes D12.0, D12.1, D12.2, D12.3, D12.4, D12.5, & D12.7 to the colonoscopy pathology section. Added anxiety screening recommendations to the depression screening section.
03/01/23	Interim Review, approved February 20, 2023. Policy updated to reflect AIM Specialty Health name change to Carelon Medical Benefits Management with no content changes made to the policy. This name change is effective March 1, 2023; URL to guidelines added. Added CPT code 87389 to the HIV screening section. Added description of FIT to colonoscopy section and added the Cologuard name details. Added specification of sigmoidoscopy and colonoscopy to the colonoscopy section. Updated USPSTF information about colorectal screening coverage and colon imaging test details.
06/01/23	Coding update. Removed primary and secondary diagnosis details in the colorectal cancer screening section.
09/01/23	Annual review, approved August 21, 2023. Added CPT code 87536 to list of HIV screening labs. Removed termed HCPCS code J7303. Changed verbiage on depression screen from newborn-12 to all ages. Added Chlamydia, Gonorrhea and Syphilis screening codes to PrEP section of policy.
10/01/23	Coding update. ICD-10-CM code Z29.81 added to the HIV Screen/PreP section of this policy.
11/01/23	Interim review, approved October 23, 2023. Added updated cervical screening and HPV criteria per USPSTF recommendations. Also added ICD-10-CM codes E66.01-E66.9 and HCPCS code G0473 to the obesity screening section.



Date	Comments
12/01/23	Coding update. Added CPT codes 87535, 87537-87539 to HIV screen/PreP section of this policy.
01/01/24	Coding update. Added CPT code 87534 and moved CPT codes 87535-87539 from HIV screening section down to HIV PreP screening section of the policy (previously accidentally added to incorrect section of policy). Corrected link to policy 5.01.588 Pharmacologic Prevention and Treatment of HIV/AIDS.
01/05/24	Coding update. Added ICD-10-CM code Z30.8 to birth control app portion of policy. This update was inadvertently missed in the 01/01/24 release.
03/01/24	Coding update. Removed ICD-10-CM codes Z71.7 and Z20.6 from HIV PreP section of policy.
04/01/24	Coding Update. Added new HCPCS code A9293.
05/01/24	Coding Update. Removed CPT code 99199 from birth control app section.

**Disclaimer:** This medical policy is a guide in evaluating the medical necessity of a particular service or treatment. The Company adopts policies after careful review of published peer-reviewed scientific literature, national guidelines and local standards of practice. Since medical technology is constantly changing, the Company reserves the right to review and update policies as appropriate. Member contracts differ in their benefits. Always consult the member benefit booklet or contact a member service representative to determine coverage for a specific medical service or supply. CPT codes, descriptions and materials are copyrighted by the American Medical Association (AMA). ©2024 Premera All Rights Reserved.

**Scope:** Medical policies are systematically developed guidelines that serve as a resource for Company staff when determining coverage for specific medical procedures, drugs or devices. Coverage for medical services is subject to the limits and conditions of the member benefit plan. Members and their providers should consult the member benefit booklet or contact a customer service representative to determine whether there are any benefit limitations applicable to this service or supply. This medical policy does not apply to Medicare Advantage.



### Discrimination is Against the Law

LifeWise Assurance Company (LifeWise) complies with applicable Federal and Washington state civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, sex, gender identity, or sexual orientation. LifeWise does not exclude people or treat them differently because of race, color, national origin, age, disability, sex, gender identity, or sexual orientation. LifeWise provides free aids and services to people with disabilities to communicate effectively with us, such as qualified sign language interpreters and written information in other formats (large print, audio, accessible electronic formats, other formats). LifeWise provides free language services to people whose primary language is not English, such as qualified interpreters and information written in other languages. If you need these services, contact the Civil Rights Coordinator. If you believe that LifeWise has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, sex, gender identity, or sexual orientation, you can file a grievance with: Civil Rights Coordinator — Complaints and Appeals, PO Box 91102, Seattle, WA 98111, Toll free: 855-332-6396, Fax: 425-918-5592, TTY: 711, Email [AppealsDepartmentInquiries@LifeWiseHealth.com](mailto:AppealsDepartmentInquiries@LifeWiseHealth.com). You can file a grievance in person or by mail, fax, or email. If you need help filing a grievance, the Civil Rights Coordinator is available to help you. You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at: U.S. Department of Health and Human Services, 200 Independence Ave SW, Room 509F, HHH Building, Washington, D.C. 20201, 1-800-368-1019, 800-537-7697 (TDD). Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>. You can also file a civil rights complaint with the Washington State Office of the Insurance Commissioner, electronically through the Office of the Insurance Commissioner Complaint Portal available at <https://www.insurance.wa.gov/file-complaint-or-check-your-complaint-status>, or by phone at 800-562-6900, 360-586-0241 (TDD). Complaint forms are available at <https://fortress.wa.gov/oic/onlineservices/cc/pub/complaintinformation.aspx>.

### Language Assistance

**ATENCIÓN:** si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 800-971-1491 (TTY: 711).  
**注意:** 如果您使用繁體中文，您可以免費獲得語言援助服務。請致電 800-971-1491 (TTY: 711)。  
**CHÚ Ý:** Nếu bạn nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho bạn. Gọi số 800-971-1491 (TTY: 711).  
**주의:** 한국어를 사용하시는 경우, 언어 지원 서비스를 무료로 이용하실 수 있습니다. 800-971-1491 (TTY: 711) 번으로 전화해 주십시오.  
**ВНИМАНИЕ:** Если вы говорите на русском языке, то вам доступны бесплатные услуги перевода. Звоните 800-971-1491 (телетайп: 711).  
**PAUNAWA:** Kung nagsasalita ka ng Tagalog, maaari kang gumamit ng mga serbisyo ng tulong sa wika nang walang bayad. Tumawag sa 800-971-1491 (TTY: 711).  
**УВАГА!** Якщо ви розмовляєте українською мовою, ви можете звернутися до безкоштовної служби мовної підтримки.  
Телефонуйте за номером 800-971-1491 (телетайп: 711).  
**ប្រយ័ត្ន:** បើសិនជាអ្នកនិយាយ ភាសាខ្មែរ, សេវាជំនួយផ្នែកភាសា ដោយមិនគិតថ្លៃ គឺអាចមានសំរាប់អ្នក។ ចូរ ទូរស័ព្ទ 800-971-1491 (TTY: 711)។  
**注意事項:** 日本語を話される場合、無料の言語支援をご利用いただけます。800-971-1491 (TTY:711) まで、お電話にてご連絡ください。  
**ማስታወሻ:** የሚናገሩት ቋንቋ አማርኛ ከሆነ የትርጉም እርዳታ ድርጅቶች፣ በነጻ ሊያገለግሉት ተዘጋጅተዋል። ወደ ሚከተለው ቁጥር ይደውሉ 800-971-1491 (መስማት ለተሳናቸው: 711)።  
**XIYYEEFFANNAA:** Afaan dubbattu Oroomiffa, tajaajjila gargaarsa afaanii, kanfaltiidhaan ala, ni argama. Bilbilaa 800-971-1491 (TTY: 711).  
**ملحوظة:** إذا كنت تتحدث اذكر اللغة، فإن خدمات المساعدة اللغوية تتوافر لك بالمجان. اتصل برقم 800-971-1491 (رقم هاتف الصم والبكم: 711).  
**ਧਿਆਨ ਦਿਓ:** ਜੇ ਤੁਸੀਂ ਪੰਜਾਬੀ ਬੋਲਦੇ ਹੋ, ਤਾਂ ਭਾਸ਼ਾ ਵਿੱਚ ਸਹਾਇਤਾ ਸੇਵਾ ਤੁਹਾਡੇ ਲਈ ਮੁਫਤ ਉਪਲਬਧ ਹੈ। 800-971-1491 (TTY: 711) 'ਤੇ ਕਾਲ ਕਰੋ।  
**ACHTUNG:** Wenn Sie Deutsch sprechen, stehen Ihnen kostenlos sprachliche Hilfsdienstleistungen zur Verfügung. Rufnummer: 800-971-1491 (TTY: 711).  
**ໂປດຊາບ:** ຖ້າວ່າ ທ່ານເວົ້າພາສາ ລາວ, ການບໍລິການຊ່ວຍເຫຼືອດ້ານພາສາ, ໂດຍບໍ່ຄ່າສ່ຽງຄ່າ, ຄວນມີພ້ອມໃຫ້ທ່ານ. ໂທ 800-971-1491 (TTY: 711).  
**ATANSYON:** Si w pale Kreyòl Ayisyen, gen sévis èd pou lang ki disponib gratis pou ou. Rele 800-971-1491 (TTY: 711).  
**ATTENTION:** Si vous parlez français, des services d'aide linguistique vous sont proposés gratuitement. Appelez le 800-971-1491 (ATS : 711).  
**UWAGA:** Jezeli mówisz po polsku, możesz skorzystać z bezpłatnej pomocy językowej. Zadzwoń pod numer 800-971-1491 (TTY: 711).  
**ATENÇÃO:** Se fala português, encontram-se disponíveis serviços linguísticos, grátis. Ligue para 800-971-1491 (TTY: 711).  
**ATTENZIONE:** In caso la lingua parlata sia l'italiano, sono disponibili servizi di assistenza linguistica gratuiti. Chiamare il numero 800-971-1491 (TTY: 711).  
**توجه:** اگر به زبان فارسی گفتگو می کنید، تسهیلات زبانی بصورت رایگان برای شما فراهم می باشد. با 800-971-1491 (TTY: 711) تماس بگیرید.